INTERNATIONAL
MYCOLOGICAL INSTITUTE
LIBRARY
20 JUN 1995

CZECH MYCOLOGY

FORMERLY ČESKÁ MYKOLOGIE

Publication of the Czech Scientific Society for Mycology

VOLUME 47
(1993 – 1994)

EDITORIAL BOARD

Editor-in-Chief
ZDENĚK POUZAR

Managing editor
JAROSLAV KLÁN

VLADIMÍR ANTONÍN (Brno)
OLGA FASSATIOVÁ (Praha)
ROSTISLAV FELLNER (Praha)
JOSEF HERINK (Mnichovo Hradiště)
JIŘÍ KUNERT (Olomouc)
LUDMILA MARVANOVÁ (Brno)
PETR PIKÁLEK (Praha)
MIRKO SVRČEK (Praha)

PRAGUE 1994

CONTENTS

ANTONÍN V.: Cystolepiota cystophora: first record from the Czech Republic 289
ANTONÍN V. and HAUSKNECHT A.: First European records of Hohenbuehelia angustata (Berk.) Sing. 39
BACIGÁLOVÁ K.: Species of Taphrina on Alnus in Slovakia 223
— Species of Taphrina on Populus in Slovakia 277
— Taphrina viridis – a new species for the Karpaty Mts. 285
FASSATIOVÁ O. and KOTLABA F.: In memoriam of Dr. Věra Holubová-Jechová (1936-1993) 81
FASSATIOVÁ O. and PRÁŠIL K.: Doc. RNDr. Vladimír Skalický has passed away .. 171
FELLNER R. and LANDA J.: Some species of Cortinariaceae and Russulaceae in the alpine belt of the Belaer Tatras – II 45
GALÁN R. and RAITVIIR A.: Luciotrichus lasioboloides, a new genus and a new species of the Pezizales 271
GÁPER J.: Fructification and sporulation of Laetiporus sulphureus in the urban environment 163
HERINK J. and KOTLABA F.: Dr.Zdeněk Pouzar sexagenarian 89
HLŮZA B.: Jiří Lazebníček – 60th birthday 311
HOLEC J.: The ultrastructure of the spore wall and ornamentation in the Xerocomus group of Boletus 173
HORÁKOVÁ J.: Arthonia pragensis spec. nov. (Ascomycetes, Arthoniales), a new lichenicolous fungus from Czech Republic 139
JANITOR A. and VIZÁROVÁ G.: Production of abscisis acid and cytokinins in static liquid culture by Schizophyllum commune 293
JESENSKÁ Z., VOLNÁ F. and PIECKOVÁ E.: The effect of disinfection substances on the propagules of heat-resistant fungi in vitro 303
KLÁN J. and BAUDIŠOVÁ D.: Enzyme N-acetyl-β-D-glukosaminidase (NAG) as an early marker of intoxications by the Cortinarius species (nephrotoxic syndrom) 65
KLÁN J., ZIMA T. and BAUDIŠOVÁ D.: Potentiated effect of ethanol on Amanita phalloides poisoning 145
KNOBLOCH E. and KOTLABA F.: Trametites eocenicus, a new fossil polypore from the Bohemian Eocene 207
KOTLABA F. and KLÁN J.: A handful of Aphyllophorales collected in Greece 199
KOTLABA F. and POUZAR Z.: Two new localities of Inonotus rickii in Europe 159
KOTLABA F. and VAMPOLA P.: Oligoporus folliculocystidiatus, a new polypore species allied to Oligoporus cerifluus 59
KUBÁTOVÁ A.: New records of micromycetes from Czech and Slovak Republics. III. Acremonium furcatum, Gonatobotryum parasiticum, Stachybotrys bisbyi, and Wardomyces inflatus 151
LIZOŇ P.: Type specimens of fungi held in the Herbarium of the Slovak National Museum (BRA), Bratislava, Slovakia 193
MORAVEC J.: Taxonomic revision of the genus Cheilymenia – 5. The section Cheilymenia 7
— Melastiza (Boud.) comb. et stat. nov. – a subgenus of the genus Aleuria Fuck. emend. nov. (Discomycetes, Pezizales) 237
— Some new taxa and combinations in the Pezizales 261
PALMER J.T.: Sclerotiniaceae on sweet chestnut burrs in the northern 'old world' . 101

PAULECH P., PAULECH C. and LIŠKA M.: Distribution and characteristic of the fungus Tilletia controversa Kühn in the stands of winter wheat in eastern Slovakia 73
PIECKOVÁ E. and JESENSKÁ Z.: The effect of the heat-stable and chloroform-extractable secondary metabolites of filamentous fungi on the respiratory tract cilia movement of one-day-old chickens in vitro 215
SUBRAMANIAN C.V.: Veramyces, a new hyphomycete genus from Kumaon Himalayas 3
VAMPOLA P., KOTLABA F. and POUZAR Z.: Antrodia pini-cubensis, a new polypore from the Caribbean area 189
VAMPOLA P. and POUZAR Z.: Antrodiella genistae – a new polypore for Czech Republic and Slovak Republic 185
Editorial 1
Bookreview (A.Kubátová) 43
(M.Semerdžieva) 206
Obituary: Prof. Dr. Rolf Singer 170
Remembrance of Dr. Marta Semerdžieva 319
Contents and index of generic and specific names of fungi Vol. 46 (1992) (B. Hlůza)

New taxa and new combinations

New genera

Luciotrichus R. Galán et Raitv. 272 – *Rhodopeziza* Hohmeyer et J. Moravec 261 – *Veramyces* Subramanian 4.

New species

Aleuria latispora J. Moravec 247 – *Antrodia pini-cubensis* Vampola, Kotlaba et Pouzar 190 – *Arthonia pragensis* Horáková 139 – *Cheilymenia parvispora* J. Moravec 21 – *Luciotrichus lasioboloides* R. Galán et Raitv. 272 – *Oligoporus folliculocystidiatus* Kotlaba et Vampola 59 – *Trametites eocenicus* Knobloch et Kotlaba 208 – *Veramyces elegans* Subramanian 4.

New combinations

Aleuria boudieri (v. Höhnel in Rehm) J. Moravec 255 – *Aleuria carbonicola* (J. Mor.) J. Moravec 248 – *Aleuria cornubiensis* (Berk. et Br.) J. Moravec 243 – *Aleuria flavida* (Thind et Kaushal) J. Moravec 251 – *Aleuria flavorubens* (Rehm) J. Moravec 253 – *Aleuria scotica* (Graddon) J. Moravec 255 – *Cheilymenia stercorea f. alpina* (Fuck.) J. Moravec 16 – *Sowerbyella phlyctispora* (Lepr. et Mont. in Mont.) Hohmeyer et J. Moravec 263 – *Sowerbyella unicisa* (Peck) J. Moravec 266.

New names

Cheilymenia lacteoalba Arnolds et J. Moravec 36.

A. – *abietinum, Gloeophyllum 200 – Absidia 218 – Acremonium 156, 157, 218 – adspersum, Ganoderma 200 – adusta, Bjerkandera 199, 200 – aereus, Boletus 312 – aeruginascens, Psilocybe 206 – Agaricus 91 – Albatrellus 91 – albobrunnea, Antrodia 192 – albocrenulata, Pholiota 312 – Aleuria 237-242, 245, 246, 248, 249, 251, 252, 254, 256-258, 263-265 – 'algeriensis', Rutstroemia 105 – alni, Deightoniella 194 – alni, Taphrina 223-225, 234 – alpina, Cheilymenia 13 – alpina, Humaria 7, 13, 17, 18, 20 – alpina, Peziza 13 – alpina, Scutellinia 13 – alternata, Alternaria 295 – altimurica, Puccinia 196 – ambigua, Poria 196 – americana, Ciboria 101-136 – americanum, Poculum 104 – angustata, Hohenbuehelia 39-42 – angustispora, Sowerbyella 197 – Antrodia 192 – Antrodiella 185 – applanatum, Ganoderma 312 – arcularius, Polyporus 203 – areolatus, Rosellinites 211 – armillatus, Cortinarius 68, 69 – arrhizus, Rhizopus 295 – Arthonia 139, 141, 142 – Ascobolus 10 – asiaticum, Fusicladium 195 – Aspergillus 218 – asperothecum, Helicoma 195 – asteropila, Cheilymenia 7, 12, 26, 34, 35, 194 – astrantiae, Puccinia 196 – atramentarius, Coprinus 145 – atramentosum, Penicillium 43 – atrocoerulea, Hohenbuehelia 39 – aurantia, Aleuria 238, 239, 241, 244, 245, 248, 251 – aurantia, Peziza 241 – aurantia, Stachybotrys 154, – aurantiaco-rubra, Cheilymenia 194 – aurantiogriseum, Penicillium 43 – aurantiogriseum, var. melanoconidium, Penicillium 43 – aurantiogriseum, var. neoechinulatum, Penicillium 43 – aurantiopsis, Hohenbuehelia 41 – australe, Ganoderma 200 – austriaca, Lachnea 255 – avellaneus, Talaromyces 303, 304, 305, 307.*

B. – *bacillisporus, Talaromyces 303-305, 307 – badioberbis, Scutellinia 266 – badius, Xerocomus 182 – balfour-browneae, Aleuria 239, 241 – balsameus, Oligoporus 61 – batschiana, Ciboria 107 – benkertii, Marcelleina 195 – bicucullata, Aleuria 239, 241 – bisbyi, Hyalostachybotrys 154 – bisbyi, Stachybotrys 151, 154, 155 – bisetosa, Tricharina 197 – bisporus, Agaricus 178, 179 – bohemica, Psilocybe 206 – Boletellus 174, 182 – Boletus 173-175, 179, 180, 182, 183 – Botryotinia 103 – Botrytis 103, 104, 293, 297 – boudieri, Aleuria 237, 238, 241, 254, 255 – boudieri, Lachnea, Melastiza 255 – bramleyi, Ciboriopsis 104 – branzeziana, Helvella 195 – bresadolae, Ciborinia 101, 105, 133 – brevicompactum, Penicillium 43 – bruchetii, Hebeloma 48 – brumalis, Polyporus 295.*

C. – *caesarea, Amanita 312 – camembertii, Penicillium 43 – campestris, Dichomitus 200 – candidus, Aspergillus 217, 218 – carbonicola, Aleuria 237, 238, 241, 248-250, 253 – carbonicola, Melastiza 248, 250 – carneus, Baeomyces 141 – carpathica, Lecidella 140, 142 – carvi, Ascochyta 194 – Celidium 139 – Ceratocystis 297 – Cercospora 293 – cerifluus, Oligoporus, Polyporus 59, 6 – cestrica, Aleuria 239, 241, 257, 258 – chateri, Humaria, Lachnea, Leucoloma 243 – chateri, Melastiza 237-239, 241, 243, 245, 253 – chateri, Peziza 237, 238, 241-245, 253 – Cheilymenia 7-14, 26, 27, 30, 31, 34-37, 240, 245, 271 – chiangmaiensis, Scutellinia 197 – chrysenteron, Boletus 173, 175, 176, 180, 182 – chrysenteron, var. robustus, Xerocomus 197 – chrysogenum, Penicillium 43 – Ciboria 101, 102, 104, 105, 117, 118, 120, 122, 123 – Ciborinia 101, 103, 104, 108-136 – Ciboriopsis 104 – ciliata, Cheilymenia 8, 13, 24 – ciliata, Peziza 8-11, 13 – ciliatum, Mycoarctium 274 – citrinum, Penicillium 44 – clavicorne, Penicillium 43 -clavigerum, Penicillium 43 – cohabitans, Arthonia 141 – colliculosa, Trametes 197 – commune, Schizophyllum 204, 293, 297, 301 – confluens, Radulomyces 199, 204 – confragosa, var. tricolor, Trametes 209 – congregatus, Rosellinites 211 – congrex, Aleuria 241 – Conida 139 – controversa, Tilletia 73-75, 77-79 – coprinaria, Cheilymenia 19 – Coprobia 240 – cornubiensis, Aleuria 237, 238, 241-243, 248, 251, 253 – cornubiensis, Cheilymenia 243, 245 – cornubiensis, Lachnea 243 – cornubiensis, Melastiza 237-239, 241, 243, 245, 250 – cornubiensis, Ne-*

ottiella 243, 244 – cornubiensis, Peziza 237, 238, 241, 243-245 – Cortinarius 65, 66, 69, 71, 180 – coryli, Vuilleminia 199, 205 – corylophilum, Penicillium 44 – crassipes, var. kilimanjarensis, Peziza 196 – crassisculpturata, Sowerbyella 197 – crassistriata, Coprobia 194 – crucipila, Peziza 27 – crucipila, Scutellinia 26 – culmorum, Fusarium 293, 297 – cupreola, Russula 45, 48, 52-54 – cyanescens, Psilocybe 206 – cyanopus, Conocybe 206 – Cystolepiota 291 – cystophora, Cystolepiota, Lepiota 289-291 – cystophoroides, Lepiota 291 – Cytospora 293.

D. *– dahliae, Verticillium 297 – dalhouensis, Aleuria 194 – dalhousiensis, Aleuria 239, 241 – delasotae, Hohenbuehelia 41 – densireticulata, Sowerbyella 197 – destructans, Cylindrocarpon 298 – diversiporus, Lasiobolus 271 – domesticus, Coprinus 295 – donadini, Marcelleina 195 – dryadicola, Russula 45, 48, 55.*

E. *– echinophila, Ciboria 102 – echinophila, Lanzia 101-104, 106-136 – echinophila, Peziza, Rutstroemia, Sclerotinia 106 – echinulata, Cunninghamella 295 – echinulatum, Penicillium 43 – edulis, var. arenarius, Boletus 194 – ehringsdorfensis, Trametes 209 – elegans, Stachybotrys 154 – elegans, Veramyces 3, 4 – endolithea, Lecidella 142 – eocenicus, Trametites 207-211 – epiphylla, Taphrina 223, 226-228, 232, 234 – epiphyscia, Arthonia 142 – equinus, Lasiobolus 10 – erubescens, var. capreolarius, Hygrophorus 195 – erythropus, var. rubropileus, Boletus 194 – exigua, Aleuria 241 – exigua, Kmetia 195 – expansum, Penicillium 43.*

F. *– fagicola, Sowerbyella 197 – faginea, Ascotremella 98 – fastigiata, subsp. lilofastigiata, Inocybe 195 – fechtneri, Boletus 312 – ferruginosus, Phellinus 202 – fibigiae, Puccinia 196 – fici, Cercospora 297 – fimbriatum, Porotheleum 199, 203, 204 – fimbriatum, Stromatoscypha 204 – fimicola, Scutellinia 197 – fischeri, Neosartorya 303-305, 307, 308 – flavida, Aleuria 237, 238, 241, 251-253 – flavida, Melastiza 196, 251 – flavorubens, Aleuria 237, 238, 241, 243, 253-255 – flavorubens, Humaria, Melastiza 253 – Flavoscypha 268 – flavus, Aspergillus 216-219 – flavus, Talaromyces 303, 305, 307 – folliculocystidiatus, Oligoporus 59, 61-63 – fomentarius, Fomes 211 – fragilipes, Boletus 175, 182 – fuckeliana, Botryotinia 101, 103, 108-136 – fuckeliana, Sclerotinia 104 – fujianensis, Scutellinia 197 – fulva, Byssochlamys 303, 305, 307, 308 – fulvescens, Cheilymenia, Humaria, Lachnea, Scutellinia 13 – fulvescens, Peziza 7, 13, 18, 21 – fulvescens, Poria 196 – fumigatus, Aspergillus 217, 218 – furcatopila, Scutellinia 197 – furcatum, Acremonium 151-153 – furcatum, Cephalosporium 152 – Fusarium 217, 218, 297 – fuscopurpurea, Arthonia 142.*

G. *– Galerina 206 – Ganoderma 156 – gemella, Cheilymenia 18, 19, 21 – genistae, Antrodiella 185-187 – genistae, Coriolus 187 – gentilis, Cortinarius 66 – geophilum, Cenococcum 211 – georgii, Lamprospora 195 – geraniodora, Inocybe 46 – geraniodora, var. depauperata, Inocybe 46 – geraniodora, var. velifera, Inocybe 46 – gibba, Clitocybe, 51 – glaucomaria, Arthonia 142 – glaucus, Aspergillus 217, 218 – grandis, Geopyxis 195 – granulata, Cheilymenia 34 – granulatum, var. globosum, Penicillium 43 – granulatum, var. granulatum, Penicillium 43 – granulatum, var. mononematosum, Penicillium 43 – greleti, Melastiza 253 – griseofulvum, Penicillium 43.*

H. *– hausmanii, Polyporus 196 – Hebeloma 45 – Helminthosporium 293 – Helotium 105 – helveticus, Spooneromyces 197 – helvus, Lactarius 257 – hetieri, Neottiella 240 – highlandensis, Pholiota 180 – hirsutum, Penicillium 43 – hirsutum, var. allii, Penicillium 43 – hirsutum, Stereum 204 – hirtella, Sclerotinia 105 – Hohenbuehelia 39, 40 – Holubovaniella 83 – Holubovea 83 – hordei, Penicillium 43 – hughesii, Wardomyces 152 – Hymenoscypha 102 – Hypocrea 156 – Hypomyces 156 – hyphopila, Coprobia 194 – hypopolius, Polyporus 196.*

I. – *igniarius, subsp. pomaceus, Phellinus 203 – indivisa, Otidea 268 – infirma, Antrodia 192 – inflatum, Trichosporium 152 – inflatus, Wardomyces 151-154 – Inocybe 45, 206 – insignis, Ascobolus 31-34 – insignis, Cheilymenia 7, 8, 11, 12, 31-36 – insignis, Dasyobolus, Lachnea 31 – integra, Otidea 268 – intexta, Arthonia 142 – inundata, Bacidia 143 – Iodophanus 263.*

J. – *johansonii, Taphrina 277, 280-282.*

K. – *kabyliensis, Peziza 196 – kaushalii, Sowerbyella 197 – kmetii, Polyporus 196 – kmetii, Radulum 196 – kumouensis, Melastiza 253.*

L. – *Lachnea 245 – Lactarius 45, 91 – lacteoalba, Cheilymenia 7, 36, 37 – Lambertella 107 – Lanzia 106 – lasioboloides, Luciotrichus 271, 272, 274 – Lasiobolus 10, 271, 274 – latispora, Aleuria 237-239, 241, 246-248 – latispora, Trichophaeopsis 274 – Lecidella 142 – lenticularis, Peziza 9 – lentiformis, Elvela, Elvella 9, 13 – Lenzites 208 – Lepiota 291 – leporina, Otidea, Scodellina 268 – leucomalellus, Oligoporus 61 – lignitum, Trematosphaerites 211 – liskae, Cheilymenia 194 – lowei, Oligoporus 61 – lucidum, Ganoderma 200 – lucidum, var. resinaceum, Ganoderma 200 – Luciotrichus 271, 272, 274 – lusakianus, Acervus 194 – luteonitens, Aleuria 239, 241, 257 – luteovirescens, Lanzia 101, 106, 125.*

M. – *maculata, Russula 45, 55, 56 – magnipila, Cheilymenia 194 – marchica, Greletia 195 – marginatulum, Hebeloma 46-48 – mastrucata, Hohenbuehelia 39 – Melastiza 237-242, 245, 246, 248-252, 254, 256, 257 – Meliola 211 – micropila, Cheilymenia 194 – miniata, Ciliaria, Lachnea, Scutellinia 243 – miniata, Humaria, Melastiza 238, 241-245 – minusculoides, Oligoporus 61 – minutella, Scutellinia 197 – mirabilis, Scutellinia 197 – Moellerodiscus 104 – mollisima, Ciborinia 104 – Monilia 293 – moniliforme, var. subglutianus, Fusarium 298 – moravecii, Galactinia 195 – moravecii, Octospora 196 – mucida, Oudemansiella 320 – Mucor 218 – muellerianus, Anthurus 194 – murreeana, Aleuria 241 – Mycoarctium 272.*

N. – *nana, Russula 48, 49 – nanus, Lactarius 45, 53, 54 – narkandensis, Trichophaea 197 – neglectula, Arthonia 141 – Neottiella 240, 245 – nidulans, Aspergillus 218 – nidusavis, Gymnosporangium 195 – niger, Aspergillus 217, 218 – nigrescens, Poria 196 – nigricans, Rhizopus 295 – Nigrospora 218 – nivea, Byssochlamys 303 – 305, 307, 308 – niveoalba, Pulvinula 196 – norvegica, Russula 45, 48-51 – notabilispora, Cheilymenia 194.*

O. – *Ochotrichobolus 274 – ochraceus, Aspergillus 218 – Octospora 240 – Oedemium 3, 4 – oleagina, Antrodia, Poria 190 – olearius, Omphalotus 312 – oleracea, Antrodia 189, 192 – oleracea, Poria 189 – Oligoporus 61 – oligospora, Arthonia 142, 143 – olivinoviride, Penicillium 43 – onotica, Otidea 268 – onychoides, Antrodiella 187 – oocardii, Peltidium 196 – oreina, Russula 52 – orellanoides, Cortinarius 66, 67 – orellanus, Cortinarius 65-70 – Otidea 268 – Otideopsis 268.*

P. – *pallida, Cheilymenia 7, 11, 12, 26-31, 35, 36 – 'pal-meri', Rutstroemia 105 – panaeola, Amygdalaria 141 – papuasius, Mutinus 196 – parasitica, Endothia 102 – parasitica, Gonatorrhodiella 156 – parasiticum, Gonatobotryum 151, 156, 157 – parasiticum, Nematogonum 156 – parasiticus, Aspergillus 219 – parasiticus, Boletus 173-177, 181, 183 – parasiticus, Pseudoboletus 183 – parvispora, Cheilymenia 7, 12, 21, 23-26, 30, 34, 35 – parvispora, Discina 195 – pascua, Russula 45, 48, 50-52 – Patella 9 – Peltigera 141, 142 – peltigerae, Arthonia 141 – Penicillium 43, 217, 218 – perplexa, Lepiota 195 – petaloides, f. americana, Pleurotus 41 – Peziza 102, 104, 106, 263 – Phaeophyscia 142 – phaeostroma, Thaxteria 3-5 – phalloides, Amanita 145-149 – Phialea 102 – phlyctispora, Aleuria 265, 266 – phlyctispora, Neottiella 263 – phlyctispora, Peziza 261, 263, 265, 266 – ph-*

lyctispora, Scutellinia 265, 266 – phlyctispora, Sowerbyella 261, 263-266 – phymatodeus, Scutellinia 197 – Physcia 142 – piluliferum, Botryotrichum 303, 306, 308 – pini, Phellinus 202 – pini-cubensis, Antrodia 189-192 – pini-densiflorae, Cercospora 297 – polarispinosa, Peziza 196 – Polyporus 156 – pomaceus, Phellinus 203 – populina, Taphrina 277-281 – Poria 156 – Porotheleum 204 – Porothelium 204 – Pouzarella 92 – pouzarianus, Pluteus 92 – pouzarii, Geastrum 92 – pouzarii, Leucogyrophana 92 – pouzarii, Phellinus 92 – pouzarii, Wrightoporia 92 – Pouzaromyces 92 – Pouzaroporia 92 – praecox, Agrocybe 295 – pragensis, Arthonia 139-142 – pruinatus, Boletellus 182 – pruinatus, Boletus 173-177, 180-183 – Pseudoboletus 173, 174, 183 – pseudohumarioides, Cheilymenia 194 – pseudopunctatus, Phellinus 203 – pseudoumbrarum, Scutellinia 197 – ptychogaster, Oligoporus 61 – pulcherrima, Cheilymenia 36 – pulverulentus, Boletus 173, 175, 176, 180 – punctatus, Phellinus 202 – purpuratus, Gymnopilus 206.

Q. *– quercina, Hyphodontia 201.*

R. *– radiata, Ditiola 9 – raistrickii, Penicillium 44 – raripila, Cheilymenia 34 – reagens, Arthothelium 141 – recedens, Hohenbuehelia 41 – repandum, Hebeloma 48 – resinaceum, Ganoderma 200 – resinaceum, var. martellii, Ganoderma 195 – reticulosperma, Greletia 195 – revolutus, Polystictus, Tyromyces 59, 61 – rhamni-tertiaria, Aecidium 211 – rhenana, Sowerbyella 238 – Rhizoctonia 297 – Rhodopeziza 261, 263 – rickii, Inonotus 159-161, 199, 201 – romellii, Antrodiella 187, – romellii, Poria 187, 188 – roquefortii, Penicillium 44 – rosicola, Cercospora 293, 297 – rubellus, Cortinarius 66-68, 70, 71 – rubicunda, Ciliaria, Lachnea, Melastiza 243 – rubiginosa, Hymenochaete 201 – rubinellus, Boletus 179 – rubra, Aleuria, Melastiza 237, 238, 241, 251, 252 – rupicola, Lecanora 142 – Russula 45, 48 – rutilans, Hapalopilus 201 – rutilans, Neottiella 240 – Rutstroemia 101, 102, 105, 106, 108, 111, 128, 135.*

S. *– saccatus, Phallogaster 312 – sadebeckii, Taphrina 223, 230-232, 236, 287 – saliceticola, Russula 45, 48, 50, 51 – salicinus, Pluteus 206 – salicis-reticulatae, Lactarius 54 – Sclerotinia 102, – scotica, Aleuria 237, 238, 241, 255-257 – scotica, Melastiza 255 – scubalonta, Lachnea, Scutellinia 13 – scubalonta, Peziza 13, 18 – Scutellinia 26, 27 – semilanceata, Psilocybe 206 – semisupina, Antrodiella 185, 187 – semisupinus, Tyromyces 188 – solani, Rhizoctonia 152, 154 – solitum, var. crustorum, Penicillium 44 – solitum, var. solitum, Penicillium 44 – Solorina 141, 142 – sordida, Amyloporia, 190, 192 – sordida, Coprobia 194 – Sowerbyella 238, 265, 266, 268 – spathulina, Hohenbuehelia 41 – speciosissimus, Cortinarius 66, 67 – spinosus, Mucor 295 – splendens, Cortinarius 66 – Stachybotrys 218 – stercorea, Cheilymenia 7-10, 12, 15, 17, 19-22, 26, 27, 31, 34-36 – stercorea, f. alpina, Cheilymenia 7, 16, 18, 20, 34, 35 – stercorea, var. aurantiacoflava, Peziza 7 – stercorea, var. gemella, Cheilymenia 21 – stercorea, var. glacialis, Cheilymenia 21 – stercorea, var. microspora, Cheilymenia 26 – stercorea, f. stercorea, Cheilymenia 16, 18 – stercorea, Humaria 12 – stercorea, var. alpina, Humaria 13 – stercorea, var. aurantiaco-flava, Humaria 13, 17, 18, 20 – stercorea, var. glacialis, Humaria 13 – stercorea, var. insignis, Humaria 31 – stercorea, Humariella 13 – stercorea, Lachnea 12 – stercorea, var. glacialis, Lachnea 13 – stercorea, var. microspora, Lachnea 7, 21, 25, 26 – stercorea, Patella 8-9, 13 – stercorea, Peziza 9-12 – stercorea, Scutellinia 13 – stercoreus, Lasiobolus 13 – Stereum 91 – stratosa, Hohenbuehelia 41 – strobilaceus, Strobilomyces 173, 175, 177, 178, 181, 182 – strobiliformis, Amanita 312 – Strobilomyces 175 – Stromatoscypha 204 – subappendiculatus, Boletus 194, 312 – subbalteatus, Panaeolus 206 – subimmersa, Leucoscypha 195 – subreticulata, Humaria 195 – subtomentosus, Boletus 173, 175, 177, 181, 182 – sulphureus, Laetiporus 163-168, 199, 202 – sydowiana, Rutstroemia 101-104, 106, 108-136.*

T. – *Talaromyces 304 – tamaricis, Inonotus 201 – Taphrina 223, 224, 229, 231, 277, 278, 285-287, 293 – Tarzetta 268 – tatrae, Inocybe 46 – tatrensis, Cortinarius 45 – tectipus, Aleuria 265 – tectipus, Jafneadelphus 264-266 – tenuis, Perenniporia 199, 202 – tenuissima, Hohenbuehelia 41 – tenuistipes, Ciboria 101, 104, 108-136 – terrestris, Pholiota 180 – terreus, Aspergillus 217, 218 – theate, Cercospora 297 – theleboloides, var. microspora, Cheilymenia 34 – Torrendiella 106 – tosquinetii, Taphrina 223, 228-230, 235 – trachyspermus, Talaromyces 303-305, 307 – Trametes 208, 209 – Trametites 209 – Tremella 156 – Trichoderma 151, 156, 157, 217, 218 – Trichophaeopsis 274 – tricolor, Daedaleopsis 209 – tuberculata, Aleuria 261, 263, 265 – tuberculata, Rhodopeziza 261-263, 265 – tuberculosus, Phellinus 203 – Tulostoma 91 – tumidosa, Trichophaea 197.*

U. – *undulatus, Trametites 209 – unicisa, Otidea 266 – unicisa, Peziza 261, 266, 268 – unicisa, Sowerbyella 261, 266, 267, 268 – unicolor, Trametes 204.*

V. – *vankyi, Orphanomyces 196 – variotii, Paecilomyces 217, 218 – varius, Polyporus 203 – Veramyces 3, 4, 83 – verrucispora, Pulparia 196 – verrucosum, Penicillium 44 – versicolor, Trametes 199, 205, 297 – virginea, Fimaria 195 – virginica, Taphrina 287 – viridicaudum, Penicillium 44 – viridis, Taphrina 285-288.*

W. – *warnieri, Lenzites 209 – 'websteri', Rutstroemia 105.*

X. – *Xanthoria 142 – xerampelina, Russula 52 – Xerocomus 173-183.*

Y. – *yunnanensis, Otideopsis 196.*